

- 6

(D)

-

R

- 1

1

- CROSS SECTION**
SCALE: 3/8" = 1'-0"

3. **UPPER/STRIPE 200 PRIMER** (1.1 DFT) (OR EQUAL)
 COA PRIMER 200 INTERIOR LATEX SEM GLOSS (1.4 DFT) (OR EQUAL)
 COA PRIMER 200 INTERIOR LATEX SEM GLOSS (1.4 DFT) (OR EQUAL)
4. **WOOD (PLYWOOD, BASE DOOR FRAME)** (1.2 DFT) (OR EQUAL)
 COA REPUTIT 200 LATEX PRIMER (1.4 DFT) (OR EQUAL)
 COA PRIMER 200 INTERIOR LATEX SEM GLOSS (1.4 DFT) (OR EQUAL)
 COA PRIMER 200 INTERIOR LATEX SEM GLOSS (1.4 DFT) (OR EQUAL)


- FLOOR PLAN**
SCALE: 3/8" = 1'-0"

- ACQUIN®
FINISH: ACRYLSEAL FLOOR—PLEX 7100 (OR EQUIV.)
FIRST COAT REDUCED 1 PT. H2O/GALLON
2 COATS FULL (1.5 – 2 DFT)
SHARKGRIP ADDITIVE (OR EQUIV.)
AS PER MANUFACTURER'S DIRECTIONS

- TOILET ROOM ACCESSORIES**
PRODUCT NUMBERS BASED ON
BOBRICK WASHROOM ACCESSORIES (ON

- EXPOSED MOONING
PEENED GRIP
1 1/2" DIA.

1. **Introduction**

-  B-292-1836 MIRROR with STE
 18"W X 36"H MIRROR

- BRIGHT POLISHED
1" W X 6 1/4" H

1. DOOR SHALL BE THERMA TRU (OR EQUAL) INSULATED STEEL (PAINTED)

2. DOOR FRAME SHALL BE:
2 1/2" GAUGE GALVANIZED
SOLID POLYURETHANE FOAM CORE
3'-0" X 6'-8" X 1 3/4"
10 YEAR LIMITED WARRANTY

- PREHUNG (SIZE TO FIT WALL)
PAINTED
WEATHERSTRIPPING

INTERCOLLEGE

1. WALL TYPE I

EPA ASBESTOS REMOVAL PROJECT

DESIGNED BY: SCHLETER/LAQUIDARA
DRAWN BY: SCHLETER/LAQUIDARA
SHEET CHK'D BY: BROMIOWIC
CROSS CHK'D BY: C. JUTRAS
APPROVED BY: _____
DATE: APRIL 2002

U.S. DEPARTMENT OF TRANSPORTATION
RESEARCH AND SPECIAL PROGRAMS ADMINISTRATION
JOHN A. VOLPE NATIONAL TRANSPORTATION SYSTEMS CENTER
ENVIRONMENTAL ENGINEERING DIVISION, DT-3-35
60 BRIDGE PL., ROOM 359
CAMBRIDGE, MASSACHUSETTS 02142

EPA ASBESTOS REMOVAL
LIBBY, MONTANA

**NEW TOILET ROOM PLAN
ARCHITECTURAL PLAN & DETAILS
PLUMBING PLAN & DETAILS**

PROJECT NO. 32373
FILE NAME: ATRIP001.DWG
SHEET NO.
AP-1

